

Organization Administration

ZENworks® Mobile Management 3.0.x

September 2014

Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the [Novell International Trade Services Web page \(http://www.novell.com/info/exports/\)](http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2012-14 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc.
1800 South Novell Place
Provo, UT 84606
U.S.A.
www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the [Novell Documentation Web page \(http://www.novell.com/documentation\)](http://www.novell.com/documentation).

Novell Trademarks

For Novell trademarks, see [the Novell Trademark and Service Mark list \(http://www.novell.com/company/legal/trademarks/tmlist.html\)](http://www.novell.com/company/legal/trademarks/tmlist.html).

Third-Party Materials

All third-party trademarks are the property of their respective owners.

Table of Contents

Accessing the Dashboard	4
The Activity Monitor	6
Corporate Resource Management	13
Resource Configurations	15
Assigning Resources to LDAP Groups and Folders.....	19
Simple Certificate Enrollment Protocol (SCEP) Servers.....	20
Application Management	23
Managed Apps	24
Enabling Managed App Permissions.....	25
Adding and Managing Apps for Android Devices	26
Kiosk Mode Apps	32
Adding and Managing Apps for iOS 5+ Devices	34
Adding Managed Apps for BlackBerry Devices	43
Novell Filr	44
Whitelists/Blacklists.....	47
Organization Control	49
Organization Control Options.....	49
File Share.....	49
Group E-mailing	52
Send Group E-mail	52
Search Group E-mail	52
Other Organization Administration Options	54
Reporting	55
Using the Reports	56
Sample Reports	57

Accessing the Dashboard

Access the Dashboard

ZENworks Mobile Management dashboard requirements:

- Microsoft Internet Explorer, Firefox, or Safari
- Adobe Flash Player 10.1.0
- Minimum screen resolution: 1024 x 768
- Desktop computer running Windows OS

In your Web browser, enter the server address of the *ZENworks Mobile Management* server, followed by ***/dashboard***

Example: <https://my.ZENworks.server/dashboard>

Standard Login

Log in to the *ZENworks Mobile Management* dashboard using your administrative login credentials in one of the following formats:

- Locally authenticated logins enter:
email address and password
- LDAP authenticated logins enter:
domain\LDAP username and LDAP password

A system administrator can create additional logins to the dashboard with system administrator, organization administrator, or support administrator privileges. See the [System Administration Guide](#) for details.



OpenID Login

Use your OpenID credentials to log in.

1. At the *ZENworks Mobile Management* login screen, select the icon identifying the OpenID provider you use: *ZENworks*, *Google*, *Yahoo!*, or *Facebook*.
2. Enter the **Zone** or **Organization**, an easy to remember name *ZENworks Mobile Management* uses to redirect you to the OpenID provider portal.
3. At the provider site, enter your OpenID credentials.

Note: If this is the first time you have logged in to *ZENworks Mobile Management* with an OpenID or your OpenID information has changed, you will be prompted for a PIN code before entering the *ZENworks Mobile Management* dashboard.

Zone Name and new PIN codes are emailed to you from the *ZENworks Mobile Management* server.




Admin Setup Pin Code

Enter Admin Setup Pin Code

Zone Name





OpenID Identity

OK



Novell.
ZENworks Mobile Management

© 2013 Novell, Inc. All Rights Reserved

Login with     

Zone

Continue



Novell.
ZENworks Mobile Management

© 2013 Novell, Inc. All Rights Reserved

Login with     

Organization

Continue

The Activity Monitor

The *ZENworks Mobile Management* Activity Monitor provides snapshots of information regarding the wireless devices and users in the enterprise network. Pie charts, bar graphs, and tables display statistics at a glance. In addition, the view can be flipped to display a log of warnings and alerts.

The Activity Monitor is the default view for all logins; however, another view in the dashboard can be designated as the default by editing the login credentials. (See *System > Organization Administrators*)

The Activity Monitor will always display six graphs at a time.

You can choose which six to display from the following:


Configuration	
Activation/De-Activation History	Bar chart showing the number of devices activated and deactivated in the past seven days.
Active/Inactive Devices	Pie chart showing the percentage of active devices versus disabled devices.
Devices by Carrier	Pie chart showing the percentage of devices using a particular carrier.
Devices by Connection Schedule	Pie chart showing the percentage of devices operating under each device connection schedule.
Devices by Domain	Pie chart showing the percentage of devices operating under a particular domain.
Devices by Liability	Pie chart showing the percentage of devices designated as <i>corporate</i> liable vs. <i>individual</i> liable. (Liability refers to ownership of the data on the device.)
Devices By Ownership	Pie chart showing the percentage of devices owned by the company vs. the percentage of devices personally owned by individuals.
Devices by Plan Type	Pie chart showing the percentage of devices operating on an international vs. a domestic plan type.
Devices by Policy Suite	Pie chart showing the percentage of devices operating under each policy suite.
Connectivity	
ActiveSync Authorization Failures	Pie chart showing the percentage of devices passing invalid credentials for the ActiveSync accounts of known users to the server.
ActiveSync Version	Pie chart showing the percentage of devices operating with various ActiveSync protocol versions.

Device App Authorization Failures	Pie chart showing the percentage of devices passing invalid credentials for the <i>ZENworks Mobile Management</i> accounts of known users to the server.
Device App Language	Pie chart showing the percentage of devices by their language setting.
Device App Version	Pie chart showing the percentage of devices by the version of the <i>ZENworks Mobile Management</i> app installed.
Statistics	
Devices by Battery Level	Pie chart showing the percentage of devices that have battery levels at 0-20%, 21-40%, 41-60%, 61-80%, or 81-100%.
Devices by Battery Status	Pie chart showing the percentage of devices in various statuses of battery health: charging, not charging – battery health good, etc.
Devices by Free Memory	Bar chart showing the number of devices with 0-20%, 21-40%, 41-60%, 61-80%, or 81-100% free memory.
Devices by Memory	Pie chart showing the percentage of devices that have memory capacity of 256 MB, 512 MB, etc.
Devices by Network Type	Pie chart showing the percentage of devices operating under a particular carrier network.
Devices by Platform > OS > Model	Pie chart showing the percentage of each device platform in use. Click a Platform wedge to show the platform by device operating system version. Click an OS wedge to show the operating system version by model. Click the back arrow to return to the previous view.
Devices by SD Card Free Memory	Bar chart showing the number of devices with 0-20%, 21-40%, 41-60%, 61-80%, or 81-100% free SD card memory.
Devices by SD Card Installed	Pie chart showing the percentage of devices with an SD card installed versus those that do not have an SD card installed.
Devices by SD Card Memory	Pie chart showing the percentage of devices that have an SD card memory capacity of 256 MB, 512 MB, etc.
Devices by SIM Card Removed/Changed	Pie chart showing the percentage of devices on which the SD card has been changed or removed vs. those that have had no change in the SD card status.
Devices by Timezone	Pie chart showing the percentage of devices by the time zone in which they are used.
Devices by TouchDown Registered	Pie chart showing the percentage of Android devices that have registered the TouchDown app vs. those that do not have TouchDown.
Devices by Violation	Pie chart showing the percentage of devices that are restricted vs. those that are not restricted.
Jailbroken/Not Jailbroken	Pie chart showing the percentages of jailbroken devices vs. those that are not jailbroken. This includes jailbroken iOS devices as well as rooted Android devices.
Roaming/Not Roaming	Pie chart showing the percentages of roaming devices vs. those

	that are not roaming.
Texts/Minutes Usage	Table listing top consumers in regard to text and minutes usage in the last 30 days.
Trends	
Trend of Changing Carriers	Line graph showing the number of users who have changed carriers over a week's time.
Trend of Changing Device Models	Line graph showing the number of users who have changed device models over a week's time.
Trend of Changing Ownership	Line graph showing the number of users whose device ownership has changed over a week's time.
Trend of Changing Platforms	Line graph showing the number of users who have changed device platforms over a week's time.


Select Graphs. Click the *Choose Visible Charts* button at the bottom left corner of the Activity Monitor screen. Select the six graphs you want to display on the grid.

The graphs you select and the grid arrangement are maintained for your dashboard login credentials.



When making or hovering over a selection, a preview of the chart appears. The information in the preview chart is sample data.

The Activity Monitor grid always displays six graphs. If fewer are chosen, the most recently deselected graphs will display along with your choices. You cannot select more than six graphs. You must deselect a graph before you can choose a different graph.




Click the *Choose Visible Charts* button when your selections are complete.


Chart Group Presets. You can choose a preset group of charts.

Connectivity displays . . .	Configuration displays . . .	Device Statistics displays . . .	Network Statistics displays . . .
ActiveSync Authorization Failures	Devices by Connection Schedule	Device by Free Memory	Devices by Network Type
ActiveSync Version	Devices by Domain	Devices by SD Card Free Memory	Devices by Timezone
Device App Authorization Failures	Devices by Liability	Devices by TouchDown Registered	Roaming/Not Roaming
Device App Language	Devices by Ownership	Devices by Violation	Text/Minutes Usage
Device App Version	Devices by Policy Suite	Jailbroken/Not Jailbroken	Devices by SIM Card Removed/Changed
Devices by Network Type	Devices by Plan Type	Devices by Battery level	Devices by Carrier


Rearrange Panels. You can rearrange the panels in the view by selecting a block and dragging it and dropping it where you prefer.




View Details. You can see detail of the statistics by hovering over a section of a graph or chart.



Zoom on a Panel. You can enlarge a panel to full view with full details by double-clicking it. Double-click on the enlarged view to return to the Activity Monitor view.



Refresh the View. You can refresh the Activity Monitor view with the most recent data by selecting *Get Most Recent Data* in the gray option bar.




Flip to the View Alerts Grid. You can flip the Activity Monitor view to a table of alerts listed by user. Select **View Alerts** in the option bar. Select **View Info Charts** to return to the Activity Monitor view.

For an alert to trigger, **Alert Settings** in the *Compliance Manager* must be enabled. Alerts report violations of device access restrictions. They also monitor and report on device resource levels, connectivity, and administrator or user initiated events. For information on enabling the *Alerts Settings*, see [Configuration Guide: Compliance Manager](#).

The screenshot shows the 'View Alerts Grid' interface. At the top, there are navigation buttons: 'View Info Charts', 'Get Most Recent Data', 'Snooze Alerts', 'Disable Alerts', 'Mark All Read', and 'Mark All Unread'. Below this is the 'Alert Search Criteria' section with fields for 'Date Range' (06/21/2012 to 06/21/2012), 'User Name' (Domain\UserName), 'Message Keywords', and 'Priority' (Low, Medium, High). There are 'Search' and 'Reset' buttons. The main part of the interface is a table with the following columns: User Name, Device, Timestamp (Server Local), Status, Priority, and Message.

User Name	Device	Timestamp (Server Local)	Status	Priority	Message
ex07\jwitmer	iOS	06/21/2012 9:31 AM (-04:00 GMT)	Unread	Medium	jwitmer has enrolled without defining an email address.
ZENworks Mobile Management System Alert	None	06/21/2012 9:31 AM (-04:00 GMT)	Unread	Medium	Devices have not made ZENworks connections, Organization-wide, since Jun 21 2012 12:44PM GMT.
jhaldiman	iOS	06/21/2012 9:30 AM (-04:00 GMT)	Unread	Medium	A device associated with jhaldiman has fallen below the recommended minimum device memory level.
pvaitya2	Android	06/21/2012 9:30 AM (-04:00 GMT)	Unread	Medium	A device associated with pvaitya2 has fallen below the recommended minimum device battery level.
ex07\jwitmer	iOS	06/21/2012 9:30 AM (-04:00 GMT)	Unread	Medium	A device associated with jwitmer has fallen below the recommended minimum device battery level.

The total number of alerts is displayed at the bottom of the grid. An icon in the top right corner of the *ZENworks Mobile Management* dashboard gives the number of unread alerts in the grid. Unread alerts are displayed in red text. Alerts that have been read are displayed in black text. Only unread alerts display when you select **Hide Read Alerts**.



Search the Alert Grid. Search the View Alerts grid by:

- **Date Range**
- **User Name**
- **Keyword(s)**
- **Priority**

Snooze Alerts – You can select one or more alerts in the grid and click the **Snooze Alerts** button. This temporarily stops the alert from repeating, at the set interval, until you have had an opportunity to investigate. Choose to snooze for 1-60 Minutes, 1-24 Hours, or 1-60 Days.

Disable Alerts – You can select one or more alerts in the grid and click the **Disable Alerts** button. This disables the *Alert Setting*. All alerts of this type will cease to trigger. They no longer report on the *View Alerts* grid and do not send email and SMS notifications to designated administrators.


Corporate Resource Management

Corporate Resources refer to servers, networks, and other resources which are available to iOS and Android users. They include resources such as, LDAP and mail servers, Wi-Fi and VPN networks, or Provisioning Profiles, Subscribed Calendars and Web Clips.


Use the resource tools in the dashboard's **Organization** view to define credentials for the server and network resources. Then use the resources in the *User Profile* to associate iOS or Android device users with a resource and configure user account settings to push out to devices.

You can also make resource assignments to members of LDAP groups or folders from these options. User credentials are obtained from the LDAP server, thus saving the administrator from having to make resource assignments per individual user.

Android devices currently support only VPN and Wi-Fi Network resources.



iOS Corporate Resources



Android Corporate Resources

Assigning Corporate Resources to Users

Corporate resources can be assigned to individual devices through the User Profile. See [Corporate Resource Assignments](#).

You can also assign corporate resources via an LDAP group or folder. Choose the resources for a group or folder. Users are then assigned resources based on their LDAP group/folder association. This can be accomplished from the [User Grid](#) or from the [resource management page](#).

iOS Resource Expiration (iOS 6+ devices)

Any iOS resource (with the exception of SCEP Servers) can be configured to expire on a given date or after an interval of time. A user whose iOS 6+ device has been assigned the resource can access it only until it expires.

- Date expirations occur at the beginning of the designated day (12:00 a.m.).
- Interval expirations occur at the end of the day (11:59 p.m.) after the interval has elapsed. For example, a resource available for 5 days will expire at 11:59 p.m. on the fifth day.

If you update the expiration of a resource and save the changes, you can choose to reload the existing installed resources, which will reset the expiration date on devices.

Connection Testing

Use the **Test Now** button on the server screens to test the general connectivity of the server after you initially add it or if you suspect there is a connection problem. These servers are accessed by devices, not the *ZENworks Mobile Management* server, so these tests merely verify that the server has a port open to authorized users.

Server	Tests:	Credentials entered for the test
Mail Servers	-General connectivity; -Accessibility by an authorized user	User name and Password of an active user on the mail server
Exchange Servers	-General connectivity; -Accessibility by an authorized user; -Autodiscover	A set of active user credentials in the format required by the Exchange server.
LDAP Servers	-General connectivity; -Accessibility by an authorized user	User name and Password of an active user on the LDAP server
SCEP Servers	-General connectivity	None
CalDAV Servers	-General connectivity; -Accessibility by an authorized user	User name, Password, and Principal Address of an active user on the CalDAV server
CardDAV Servers	-General connectivity; -Accessibility by an authorized user	User name, Password, and Principal Address of an active user on the CardDAV server
Subscribed Calendars	-General connectivity; -Accessibility by an authorized user	User name and Password of an active user of Subscribed Calendars

Resource Configurations

You can define the following servers and networks:

Resource	Description	Devices that Support
Access Point Names (APN)	<p>The Access Point Name identifies the external cellular network a phone accesses for data. When you configure a new APN, you must have the correct settings for the carrier and type of account provisioning. Incorrect settings can result in a loss of functionality or additional charges.</p> <p>Reasons you may need to assign a new APN:</p> <ul style="list-style-type: none"> • The APN settings are incorrect and user is getting error messages. • You are assigning a different carrier's APN to a user with an unlocked phone. • A user is traveling outside of the wireless provider's service area and needs a different APN to avoid data roaming charges. 	iOS
CalDAV Servers	Define your corporate CalDAV servers. Then associate a user with the server and configure calendar account settings to push out to the user's device.	iOS
CardDAV Servers	Define your corporate CardDAV servers. Then associate a user with the server and configure contact account settings to push out to the user's device.	iOS
Exchange Servers	Define your corporate Exchange server or server utilizing the Exchange ActiveSync protocol servers. Then associate a user with the server and configure ActiveSync account settings to push out to the user's device.	iOS
LDAP Servers	<p>Define your corporate LDAP server(s). Then associate a user with the server and configure LDAP settings to push out to the device so the user can access corporate directory information via the device.</p> <p>LDAP searches can be added to limit the number of users pulled from the LDAP server. Specify the Base DN and search scope, so that only users belonging to a specified group are queried.</p>	iOS
Mail Servers	Define your corporate mail servers. Then associate a user with the server and configure email account settings to push out to the user's device.	iOS
Provisioning Profiles	Define and upload provisioning profiles that enable iOS device users to install in-house iOS apps. You can push out a provisioning profile to individual users or check <i>Apply to Organization</i> to assign to all iOS device users in the organization.	iOS
SCEP Servers	Define your Simple Certificate Enrollment Protocol (SCEP) server(s). Then associate a user with a SCEP server in order to issue digital certificates to devices using an automatic enrollment technique. This provides a method of delivering encrypted configuration profiles to iOS devices. See SCEP Servers for more information.	iOS
Subscribed Calendars	Define the subscribed calendars you want to push out to iOS devices. These are read-only calendars that use the iCalendar (.ics) format. Calendars are obtained from calendar-based services that support calendar subscriptions, including iCloud, Yahoo, Google, and the Mac OS x iCal application.	iOS
VPNs (Android)	<p>Define your VPN networks.</p> <p>Instruct users to download and install the third party app, available through the Google Play Store (or add to your <i>Managed Apps</i> list), required for the VPN connection type. Then associate a user with the VPN network and define the wireless network credentials to push out to the user's device.</p> <p>Note: Users installing Cisco AnyConnect should enable <i>External Control</i> in the app's settings prior to receiving a VPN assignment from the <i>ZENworks</i></p>	Android (OS 4.0+)

	<i>Mobile Management</i> server. If enabled after the assignment is sent, they must use the <i>VPN Settings</i> in the <i>ZENworks Mobile Management</i> settings to establish the connection.	
VPNs (iOS)	Define your VPN networks. Instruct users to download and install the third party app, available through the App Store or iTunes (or add to your <i>Managed Apps</i> list), required for the VPN connection type. Then associate a user with the VPN network and define the wireless network credentials to push out to the user's device. Note: IPSec does not require a device application.	iOS
Web Clips	Define shortcuts to a specific web application or web page that can be pushed to users' device Home screen. When a user taps the web clip, the web browser automatically launches and takes the user to that application or page.	iOS
Wi-Fi Networks	Define your Wi-Fi networks using various levels of security, including WEP, WPA, and WPA2. Then associate a user with the Wi-Fi network and define the wireless network credentials to push out to the user's device.	iOS, Android

Configuring Server Settings

The credentials for each server are defined using a wizard:

Mail Servers	Exchange Servers	LDAP Servers	CalDAV Servers	CardDAV Servers
-Email Server Type	-Exchange Server Name	-LDAP Display Name	-Display Name	-Display Name
-Account Name	-Exchange Server Address	-LDAP Server Address	-Server Address	-Server Address
-Server Address	-Exchange Port	-LDAP Port	-Server Port	-Server Port
-Server Port	-Use SSL	-Use SSL	-Use SSL	-Use SSL
-Use SSL	-Use S/MIME (iOS 5+)	-LDAP Searches	-Expiration (iOS 6+)	-Expiration (iOS 6+)
-Allow Move (iOS 5+)	-Allow Move (iOS 5+)	-Expiration (iOS 6+)		
-Account Type	-Use Only in Mail (iOS 5+)			
-IMAP Path Prefix	-Allow Recent Address Syncing (iOS 6+)			
-Authentication Type	-Expiration (iOS 6+)			
-Expiration (iOS 6+)				

Sample Add New Server Wizard

Mail Servers and **Exchange Servers** have settings that can be enabled/disabled to govern how the mail account can be used by an iOS 5+ user. If they are set when the resource is created, they cannot be changed at the user level.

- **Allow Move (iOS 5+)** – When disabled, this option prevents an iOS 5+ device user from moving messages from corporate mail account folders to folders associated with other mailbox accounts. For example, a user could not move a message from the corporate mail account Inbox to a folder associated with his or her personal mail account.
- **Use Only in Mail (iOS 5+)** – When enabled, this option prevents an iOS 5+ device user from setting the corporate mail account as the default. The corporate mail account can then only be used in conjunction with the device's *Mail* application.

This prevents messages created outside of the device's native *Mail* application from being sent from the corporate account. For example, if the user sends a photo from the device *Photo* application, it is not sent from the corporate mail account; nor can the user send an attached contact file from the device's *Contacts* application using the corporate mail account.

- **Allow Recent Address Syncing (iOS 6+)** – When enabled, recently used email addresses are stored on the device. They will then appear in a selection list if the user begins to type the address in a subsequent email.

Configuring Network Settings

The credentials for each network are defined using a wizard.

Wi-Fi Networks (iOS) -Resource Name -SSID -Auto Join (iOS 5+) -Hidden Network -Security Type -Password -Password Per Connection -Accepted EAP Types	-EAP-FAST -Allow Trust Exceptions -Inner Identity -Proxy Type -Proxy Address, Port, Username, Password -Expiration (iOS 6+)	VPNs (iOS) <i>Settings vary based on connection type</i> -Display Name -Connection Type -User Authentication -Remote Address -Proxy Type -Expiration (iOS 6+)	Wi-Fi Networks (Android) -Resource Name -SSID -BSSID -Hidden Network -Allowed Authentication -Allowed Group Cipher -Allowed Key Management	-Allowed Pairwise Cipher -Allowed Protocol -Pre-Shared Key -WEP Key	VPNs (Android 4.0+) <i>Cisco AnyConnect or F5 SSL</i> -Display Name -Connection Type -Remote Address
--	--	---	--	--	---

Sample Add New Network Wizard

Configuring Other Resources

Access Point Names	Provisioning Profiles	Subscribed Calendars	Web Clips
-Access Point Name	-Display Name	-Display Name	-Label
-Proxy	-Provisioning Profile	-Host Name	-URL
-Proxy Port	-Apply to Organization	-Use SSL	-Icon
-Expiration (iOS 6+)	-Expiration (iOS 6+)	-Expiration (iOS 6+)	-Removable
			-Use Precomposed Icon
			-Launch in Full Screen
			-Expiration (iOS 6+)

Access Point Name Wizard

Provisioning Profile

Subscribed Calendar Wizard

Web Clip Wizard

Assigning Resources to LDAP Groups and Folders

When the Administrative LDAP server is fully configured, corporate resources can be assigned to users via the LDAP group or folder to which they belong. User credentials are obtained from the LDAP server, thus saving the administrator from having to make resource assignments per individual user.

You can also assign resources directly from the user grid. See [Assigning Settings and Resources to LDAP Groups/Folders](#).

Note: These methods cannot be used to assign the SCEP server resource to users, because of the unique challenge code required for each user.

From the *Organization* view, select a resource from the *Android* or *iOS Corporate Resource* drop-down menu option. Click the option, **Assign to LDAP Groups/Folders**.

The screenshot shows the 'Exchange Servers' configuration page for 'Exchange 2013'. The 'Assign to LDAP Groups/Folders' button is highlighted with a red circle. The configuration options are as follows:

Option	Value
Exchange Server Name	Exchange 2013
Exchange Server Address	ex13.zmm.net
Exchange port	80
Use SSL	<input type="checkbox"/>
Use S/MIME (iOS 5+)	<input type="checkbox"/>
Allow Move (iOS 5+)	<input checked="" type="checkbox"/>
Use Only in Mail (iOS 5+)	<input type="checkbox"/>
Allow Recent Address Syncing (iOS 6+)	<input checked="" type="checkbox"/>
Server Connectivity	Test Now
Expiration (iOS 6+)	Never

1. Select an **LDAP Server** from the drop-down list.
2. Some resources have an option to **Use credentials from the LDAP Server**. Keep this option enabled unless you want to assign a resource to a group email address.

If you disable the option, you must enter the shared User Name or shared User Name and Email Address. The assignment is made to that mail account only.

3. Click the *Groups* or *Folders* tab and navigate through the LDAP directory to select the groups of folders to which you will assign the resource.
4. Click the **Update Assignments** button.

The screenshot shows the 'Assign to LDAP Groups/Folders' dialog box. The 'Exchange 2013' resource is selected. The 'Use credentials from LDAP Server' option is checked. The 'User Name' and 'E-mail Address' fields are empty. The 'Groups' tab is selected, and the following table is displayed:

Assigned	Imported LDAP Groups
<input type="checkbox"/>	Domain Guests
<input type="checkbox"/>	HelpServicesGroup
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

The 'Update Assignments' button is visible at the bottom right.

Simple Certificate Enrollment Protocol (SCEP) Servers

What is SCEP?

Simple Certificate Enrollment Protocol (SCEP) is a PKI communication protocol allowing administrators to securely issue certificates to large numbers of devices through an automatic enrollment technique. Devices must be SCEP-enabled and pre-registered to certification authority (CA) domain before they can request certificates. Device use this protocol to send a certificate request to the CA.

Benefits of a SCEP Server in your Environment

A SCEP server provides a way for you to deliver encrypted configuration profiles to iOS devices in your network. The encryption of the configuration profile is unique for each device. Only the device to which it is sent can read it. This provides another layer of security, in addition to SSL encryption, for sensitive corporate information included in iOS profiles. SCEP is supported only on Enterprise or Datacenter versions of Windows 2008 or 2008 R2. One of these versions must be used on the SCEP server.

SCEP Limitations

SCEP offers a convenient and efficient method of issuing authentication certificates to users and devices; however, there are limitations inherent to the overall SCEP model. The *ZENworks Mobile Management* server delivers the SCEP challenge and SCEP server address to the device securely by using an iOS profile. Although the SCEP challenge can only be used one time, the SCEP challenge does not uniquely identify the user/device for which it was intended and *ZENworks Mobile Management* has no means to control what is done with the information when it is received by the device. If it is compromised, the challenge can be used even though it was only intended to be used by the device user, because the SCEP server accepts the challenge with no user authentication.

SCEP was originally designed for use in a completely internal environment, but with external devices connecting to an external SCEP server to obtain a certificate, there are potential inroads.

If you use *ZENworks Mobile Management* to deliver challenge passwords to devices, ensure that the level of trust given to these certificates is appropriate.

If SCEP limitations pose too great a risk, you should deploy client authentication certificates directly from the *ZENworks Mobile Management* server. Each user is issued a unique certificate that can only be obtained by using *ZENworks Mobile Management* credentials. See [Certificates](#).

SCEP Servers and the ZENworks Mobile Management System

When there is a SCEP server in an environment where *ZENworks Mobile Management* has been implemented, administrators can use *ZENworks Mobile Management* to efficiently provide digital certificates to users with iOS devices. The process is automated and requires very little user input.

Administrators can define the SCEP servers via the Organization view and then associate a user with the SCEP server and configure settings that allow devices to enroll automatically.

The initial configuration profile that the user accepts contains the address of the SCEP server. The device connects with both the *ZENworks Mobile Management* and SCEP servers to complete several configuration steps:

- The device loads the SCEP profile from *ZENworks Mobile Management*.
- The device obtains a certificate from the SCEP server.
- The device obtains a uniquely encrypted configuration profile from *ZENworks Mobile Management*, which can be read exclusively by the device.

Define a SCEP Server

From the dashboard, select **Organization > iOS Corporate Resources > SCEP Servers**. Click the **Add New SCEP Server** tab and fill in the server credentials to define a server.

Display Name (required)	Name identifying the SCEP server.
SCEP Name (required)	Common Name of the Certificate Authority
URL (required)	The base URL of the SCEP server. Must be accessible from the device browser. The server portion of the address might need to be changed to either the internal IP (Wi-Fi) or the external server address (cellular) in order for SCEP to work.
Subject	The CommonName (CN) and Organization (O) that you used when setting up the SCEP. For example: CN=iPhoneSCEP,O=YourCompany
Use Subject Alternative Name	Determines whether an alternative name is used.
Subject Alternative Name Type	Select the type of subject name alternative from the drop-down: RFC-822 Name, DNS Name, or Uniform Resource Identifier
Subject Alternative Name	Supply the alternate name for the SCEP server. Valid entries are an email address (RFC-822), the DNS name of the server, or the server's fully-qualified URL.
NT Principal Name	NT principal to be used in the request.
Key Size in Bits	The size of the key to be used: 1024 or 2048.
Use as Digital Signature	Select the box to use the key as a digital signature.
Use for Key Encipherment	Select the box if the certificate uses a protocol that encrypts keys.
Fingerprint	Hex string to be used as a fingerprint. Can be left blank.


Now, use the *Corporate Resource* option in the **User Profile** to associate users with a SCEP server.

Associating a User with a SCEP Server

From the dashboard, select the **Users** view and select a user to view his or her profile. Expand the menu under the user's device and select *Corporate Resources*. Choose the **SCEP Server** option and click *Assign New SCEP Server*.

Select a SCEP server for the user from the drop-down list.

To obtain a challenge password, browse to the SCEP URL. Enter the authentication credentials (by default Integrated Windows Authentication). Copy the *Enrollment Challenge Password* and paste it into the *Challenge* field.



The dialog box titled "Assign SCEP Server" contains the following elements:

- Section: **User Account Settings**
- Field: **SCEP Server:** * SCEP1 (dropdown menu)
- Field: **Challenge:** (empty text input field)
- Button: **Finish**



The "Assigned SCEP Server" section displays a table with the following data:

Display Name	SCEP Name	URL	Subject
SCEP1	SCEP1	123.456.7.89	test

Below the table, the "User Account Settings" section shows:

Challenge: 123456789


Application Management

Application Management is located in the **Organization** view of the dashboard.

The [Managed Apps](#) option gives you the ability to make available to users a list of recommended applications. Android and iOS applications can be designated as mandatory so that users are automatically prompted to install them. In addition, Android and iOS apps can be assigned to the LDAP groups/folders or local groups to which users belong.

[Novell Filr](#), a secure system for mobile file access and sharing, is integrated with *ZENworks Mobile Management* for Android devices and iOS 7.1 or higher devices using the Filr app version 1.0.4 or higher. The integration gives you the ability to create a configuration profile from the dashboard that, when assigned to users, will configure the Novell Filr app on devices.

[Whitelists/Blacklists](#) gives you the ability to restrict a user based on the applications he or she has installed on the device. Users' access to email, shared files, app lists, or other organization resources can be blocked when they are not in compliance with restrictions.



Managed Apps

Managed Apps enables the administrator to create a recommended list of applications to be made available to users with devices that have installed a *ZENworks Mobile Management* device application or BlackBerry devices with the *GO!NotifySync* application.

When an administrator creates an app list for each supported device platform and enables the *Managed App Permissions* in the policy suite, users with that policy suite can access the recommended applications from the *ZENworks Mobile Management* device agent. For Android and iOS users, managed apps can also be made available to users via the LDAP group/folder or local group to which they belong.

Enforced application management is supported for the Android and iOS 5+ device platforms. Administrators can force push Android and iOS applications on the Managed App list to devices. Users are automatically prompted to install the required applications.

- For **iOS 5+** devices, MDM functionality makes it possible to add and enforce free App Store apps, enterprise apps, and apps that have been pre-purchased through the Apple Volume Purchase Program (VPP).
- For **Android** devices, MDM functionality makes it possible to add and enforce free Google Play Store apps and enterprise apps. (*ZENworks Mobile Management* version 2.7.1 or higher is required.)

If Managed Apps are accessed by users in different countries or regions, see this [Knowledge Base article](#).

Accessing Managed Apps on a Device

Users can access the recommended apps from the *ZENworks Mobile Management* device agent:

- Android users select **Managed Apps** from the *ZENworks* main screen.
- BlackBerry (with *GO!NotifySync*) users select **Managed Apps** from the *GO!NotifySync* pop-up menu.
- iOS device users select the **Managed Apps** icon from the *ZENworks* main screen.

In this section you will find information on:

- [Enabling Managed App Permissions](#)
- [Adding and Managing Apps for Android Devices](#)
- [Kiosk Mode Apps](#)
- [Adding and Managing Apps for iOS 5+ Devices](#)
- [Adding Managed Apps for BlackBerry Devices](#)

Enabling Managed App Permissions

Applications on the Managed Apps list are not available to users until you enable the **Managed App Permissions** in the policy suites for each app on the list.


1. From the *ZENworks Mobile Management* dashboard, select **Organization > Policy Management > Policy Suites > (select policy suite) > Managed App Permissions**.

Select a device platform, locate the app, and enable it.



Enable the **Force Push** option, for Android or iOS apps, to set the app to automatically prompt users associated with the policy suite to install the app. This makes it a required app.

2. Click the **Save Changes** button.



3. For iOS apps, verify that the following policies are enabled.
Select **Organization > Policy Management > Policy Suites > (select policy suite) > iOS Devices > Applications**.

These policies should be enabled:

- **Allow application installation**
- **Allow iTunes**

Adding and Managing Apps for Android Devices

Apple MDM functionality makes it possible for an administrator to manage the Android applications in the Mobile App list.

Management functionality includes:

- Installing/reinstalling/uninstalling apps at the user level
- Force pushing an app so that all users associated with a policy are automatically prompted to install
- Adding Enterprise (in-house) apps to the list


In this section:

[Managed App Permissions for Android](#)

[Adding Google Play Store Apps](#)

[Adding an Android Enterprise App](#)

[Updating Android App Versions](#)



Organization Management | Managed Apps > Android

Managed Apps for Android devices

4 Apps

Name	Download Count	Download Limit	App File Name	App File Size (bytes)	Link	Version	Package Name
Frodo C64	0	<Unlimited>		0	https://play.google.com/store/apps/details?id=com.lonelyplanet.android	0.96.2	com.lonelyplanet.android
Xplore	0	<Unlimited>		0	https://play.google.com/store/apps/details?id=com.lonelyplanet.android	3.66.05	com.lonelyplanet.android
Skype	0	<Unlimited>		0	https://play.google.com/store/apps/details?id=com.skype.raider	7.1	com.skype.raider
TouchDown	0	<Unlimited>		0	https://play.google.com/store/apps/details?id=com.touchdown	8.000213	com.touchdown

Managed App Permissions for Android

Several policy suite rules must be enabled for Managed Android App functionality.

Select **Organization** > **Policy Management** > **Policy Suites** > (select policy suite).

1. Choose the policy suite category **Audit Tracking** and verify that the following option is enabled:
 - **Record managed applications** – required for *Force Push* and administrator-initiated app installations.
2. Choose the policy suite category **Managed App Permissions** > **Android**. For each mobile app listed under the *Android* platform:
 - a. Enable the app to make it available to users associated with the policy suite.
 - b. Enable the **Force Push** option to set the app to automatically prompt users associated with the policy suite to install the app. This makes it a required app.

Note: Administrators can issue an uninstall command using the *Uninstall App* button in the *Apps* section of the *User Profile*. The *Force Push* option should be disabled first, however, so that the app does not get pushed back to the device after the user uninstalls.




Enabling Force Push for required apps

Adding Google Play Store Apps

1. Select **Organization > Application Management > Managed Apps**.
2. Select **Android** from the left panel, then click **Add Managed App**.
3. Choose **Google Play Store** as the **Method** to add the app.
4. Enter the **App Name**, **Version**, and **Description** for the app. What you enter displays on the device.
5. Enter the Play Store URL in the **Link to App** field.
6. Browse your image files at the **Icon File** field and select an icon to associate with the application.
7. Select **Remove With MDM** if you want the app to be deleted from the device when the MDM configuration profile is removed.
8. Enter the **Download Limit** if you want to track downloads of a managed app purchased in bulk. Users can no longer download the app once the limit has been reached.

Download Limit and *Download Count* are shown in the *Managed Apps* grid and a compliance alert can be set for when availability is low.

9. Click **Add Android App** to add the App to the Android Managed App list.



The screenshot shows the 'Add Managed App' dialog box with the following fields and options:

- Method: File Link Google Play Store
- App Name: *
- Package Name:
- App File: (Max File Size: 100 MB)
- Link to App: *
- Icon File: (Recommended Max File Size: 100 KB)
- Version: *
- Description: *
- Remove with MDM:
- Download Limit:
-

Adding an Android Enterprise App

An enterprise (or in-house) app is one that has been created by an organization using Android API development tools.

1. Select **Organization** > Application Management > **Managed Apps**.
2. Select **Android** from the left panel, then click **Add Managed App**.
3. Choose **File** or **Link** as the **Method** to add the app. Apps can be added as a link to the download page where the user can obtain the app, or as an actual app file that the user can install.
4. Enter the **App Name**, **Version**, and **Description** for the app. What you enter displays on the device.
5. For **Links**, provide a URL for the application in the **Link to App** field.

For **Files**, browse to select an .apk file at the **App File** field.

6. Enter the **Package Name** for the app. This is the unique identifier associated with the app. It must be accurate. For the **Novell Filr** app, enter: com.novell.filr.android

Note: When Force Push is on, *ZENworks Mobile Management* uses this to verify whether the app is installed on the device. If entered incorrectly, it will try to verify by comparing the value in the **App Name** field with the actual application name sent from the device. If Force Push fails to verify that the app is installed, the user will be continually prompted to install.

7. Browse your image files at the **Icon File** field and select an icon to associate with the application.
8. Select **Remove With MDM** if you want the app to be deleted from the device when the MDM configuration profile is removed.
9. Enter the **Download Limit** if you want to track downloads of a managed app purchased in bulk. Users can no longer download the app once the limit has been reached.

Download Limit and *Download Count* are shown in the *Managed Apps* grid and a compliance alert can be set for when availability is low.

10. Click **Add Android App** to add the App to the Android Managed App list.

The screenshot shows the 'Add Managed App' dialog box. It features a title bar with the text 'Add Managed App' and a close button. The main area contains several input fields and controls. At the top, there is a 'Method' section with three radio buttons: 'File' (which is selected), 'Link', and 'Google Play Store'. Below this are several text input fields: 'App Name' (with an asterisk indicating it is required), 'Package Name', 'App File' (with an asterisk and a 'Browse...' button, and a red note 'Max File Size: 100 MB'), 'Link to App', 'Icon File' (with an asterisk and a 'Browse...' button, and a red note 'Recommended Max File Size: 100 KB'), 'Version' (with an asterisk), and 'Description' (with an asterisk). There is also a checkbox for 'Remove with MDM' which is checked, and a 'Download Limit' text input field. At the bottom right, there is a button labeled 'Add Android App'.

Updating Android App Versions

Edit the original app and update the application information. If the app is already on the device, you can check the **Update this app for existing users** box to push the upgrade down. Users will be prompted to update the app.

Update Managed App

Method: File Link Google Play Store

App Name: * TouchDown

Package Name:

App File: Max File Size: 100 MB

Link to App: * http://td@googleplay.c

Icon File: * Icon File Selected Recommended Max File Size: 100 KB

Version: * 8.1.000

Description: * Email/PIM

Remove with MDM:

Update this app for existing users:

Download Limit:

Assigning Android Apps to LDAP Groups/Folders or Local Groups

You can assign Android managed apps to all members of an LDAP group/folder or local group.

1. From the *Managed Apps* data grid, select an app to assign to groups or use CTRL+click to select multiple apps.
2. Click the **Assign to Groups/Folders** button.

+ Add Managed App **Assign to Groups/Folders** Edit Managed App Remove Managed App Save Changes

Organization Management

Android

BlackBerry

iOS


Managed Apps > Android

Managed Apps for Android devices


4 Apps

Name	Download Count	Download Limit	App File Name
Frodo C64	0	<Unlimited>	
Xplore	0	<Unlimited>	
Skype	0	<Unlimited>	
TouchDown	0	<Unlimited>	

- From the *Managed App* drop-down, select an app to assign or select **All** to assign all apps selected from the Managed Apps data grid.



- If you are assigning apps to an LDAP group or folder, select a server from the *LDAP Server* drop-down.
- In the table, select the **LDAP Groups**, **LDAP Folders**, or **Local Groups** tab.



- In the group list, locate the group to which you are assigning the app(s) and determine whether or not the app(s) will be required on user devices.
 - Check the **Recommend** box to make the app(s) available to users in this group.
Or check the *Recommend* box in the header to make the app(s) available to users in all groups.
 - Check the **Force** box to force push the app(s) to devices. Users will be required to install the app(s). Checking this box will automatically mark the *Recommend* box as well.
Or check the *Force* box in the header to force push the app(s) to devices of all groups.

You must make this selection for corporate device and personal device users separately.
- Click **Save Assignment** before you make assignments for another group.
Click **Save Assignment & Close** when you are finished.


Kiosk Mode Apps

Kiosk Mode provides a way for administrators to specify a single application to which KNOX EMM (Samsung SAFE) devices will be locked. The device returns to the specified app upon wake or reboot and blocks device features that permit navigation and task management.


There can only be one kiosk app named at a time. Since device navigation buttons are disabled, the kiosk app should be one that is completely navigable from within the app.

To Define a Kiosk Mode App

1. Add the app to the Android Managed Apps list. It must contain a *Package Name*. Select **Organization Management > Application Management > Managed Apps**.
2. From the dashboard, select **Organization Management > Policy Management > Policy Suites**.
3. From the panel, select **Samsung KNOX EMM Policies**.
4. Select an app by clicking the blue plus symbol.



5. Select an app from the pop-up and click the **Update Assignment** button.



The *App name* and *Package name* will populate the Kiosk Mode fields.

Kiosk Mode

Locks KNOX EMM devices to a single application. Returns device to the specified app upon wake or reboot and blocks device features that permit navigation and task management.

Corporate

App name: Calculator ++

Package name: id=org.solovyev.android.calcul

Individual

App name:

Package name:

To Remove the Kiosk Mode App

1. From the dashboard, select **Organization Management** > **Policy Management** > **Policy Suites**.
2. From the panel, select **Samsung KNOX EMM Policies**.
3. Select an app by clicking the red x symbol.
4. Click **Yes** to confirm the deletion of the Kiosk Mode app.



Adding and Managing Apps for iOS 5+ Devices

Apple MDM functionality makes it possible for an administrator to manage the iOS applications in the Managed App list.

Management functionality includes:

- Installing/reinstalling/uninstalling apps at the user level
- Force pushing an app so that all users associated with a policy are automatically prompted to install
- Adding Enterprise (in-house) apps to the list
- Managing redemption codes associated with volume-purchased App Store applications.

In this section:

[Configuration File Format](#)

[Managed App Permissions for iOS](#)


[Adding iOS App Store Apps](#)

[Adding an iOS Enterprise App](#)

[Updating iOS App Versions](#)

[Managing Volume Purchase Program Licenses](#)

[Managing Volume Purchase Program Redemption Codes](#)



Name	Download Count	Download Limit	VPP	App File Name	App File Size (bytes)	iPad-Only	Link
Skype for iPhone	0	<Unlimited>	No		44710848	No	https://itunes.apple.com/us/ap
World Clock-Time	0	<Unlimited>	No		20468523	No	https://itunes.apple.com/us/ap
UPS Mobile	0	<Unlimited>	No		9419422	No	https://itunes.apple.com/us/ap

Configuration File Format

If you are using a **Configuration File** to configure a third party app, the file should follow the general format displayed here:

General Format	Example
<pre><dict> <key>key1</key> <string>value1</string> <key>key2</key> <string>value2</string> </dict></pre>	<pre><dict> <key>username</key> <string>username</string> <key>password</key> <string>password</string> </dict></pre>

Since tags and values will be specific to each app, you should contact the app developer for a suitable file.

Managed App Permissions for iOS

Several policy suite rules must be enabled for Managed App functionality.

Select **Organization > Policy Management > Policy Suites >** (select policy suites).

1. Choose the policy suite category **iOS Devices > Applications** and enable the following option:

- **Allow app management** – Required for Force Push and administrator initiated app installations.
- **Allow application installation** – Required for Force Push and administrator initiated app installations.
- **Allow iTunes** – Required for Force Push and administrator initiated App Store app installations.

2. If you want to use a Configuration File to configure a third party iOS application, verify that the following policy is enabled

Select **Organization Management > Policy Management > Policy Suites >** (select policy suite) > **iOS Devices > Management**. Enable:

- **Allow Management of Settings**

3. Choose policy suite category **Managed App Permissions > iOS**. For each mobile app listed under the iOS platform:

- Enable the app to make it available to users associated with the policy suite.
- Enable the **Force Push** option to set the app to be automatically installed on the devices of all users associated with the policy suite. This makes it a required app.

Managed Apps Permissions CORPORATE INDIVIDUAL

Note: Enabling any Managed App will also enable the "Allow Managed Apps" option in the Resource Control category. You may want to check the current status of the "Allow Managed Apps" option before making changes.

▶ Android

▶ BlackBerry

▼ iOS

Note: Apps can only be enabled for user access or force push when the "Allow app management" setting is enabled in iOS Devices > Applications. Also, force push can only be enabled when the corresponding user access permission is enabled.

United States - All Devices

Skype for iPhone	<input checked="" type="checkbox"/> YES	<input checked="" type="checkbox"/> YES
Force push Skype for iPhone	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
UPS Mobile	<input checked="" type="checkbox"/> YES	<input checked="" type="checkbox"/> YES
Force push UPS Mobile	<input type="checkbox"/> NO	<input type="checkbox"/> NO
World Clock–Time Zones	<input checked="" type="checkbox"/> YES	<input checked="" type="checkbox"/> YES
Force push World Clock–Time Zones	<input type="checkbox"/> NO	<input type="checkbox"/> NO

Enabling Force Push for Required Apps

Adding iOS App Store Apps

If Managed Apps are accessed by users in different countries or regions, read this [Knowledge Base article](#).

1. Select **Organization > Application Management > Managed Apps**.
2. Select **iOS** from the left panel, then click **Add Managed App**.
3. Choose **App Store** as the Mobile app *Type*.
4. Choose **Search iTunes** or **Input Manually** as the *Method* by which to add the app.
 - a. If searching iTunes, enter a string to search on and the region in which the app is available, then click **Search**. . Select **iPad Only** if you need to search exclusively for iPad applications, then click **Search**.
 - b. If adding manually, enter an **App Name**, **Version**, and **Description** for the app. What you enter is displayed on the device in the managed app list.

Enter the **App Store URL**. (The app URL can be obtained on iTunes by clicking the drop-down arrow below the app icon and selecting **Copy Link**.)

At the **Icon File** field, browse your image files and select an icon to associate with the application. This also displays on the device in the managed app list.

If adding a **Configuration File** to configure a third party app, click the browse button and select your configuration file.

5. Select **Remove With MDM** if you want the app to be deleted from the device when the MDM configuration profile is removed.
6. Select **Prevent Backup** if you want the user to be able to save the app via iTunes.
7. Enter the **Download Limit** if you want to track downloads of a managed app purchased in bulk. Users can no longer download the app once the limit has been reached.

Download Limit and *Download Count* are shown in the *Managed Apps* grid and a compliance alert can be set for when availability or VPP licenses/redemption codes are low.

8. Click **Add iOS App** to add the App to the iOS Managed App list.

App Name	Version	Price
Skype for iPhone	4.17.3	Free
InstaFrame - Photo Collage Editor, Picture Frames, Effects Ma	1.8.1	Free
Emoji 2 Emoticons for iOS 7 - New Free Smiley Symbols & Key	6.0	Free
Pic Jointer - Picture Collage, Camera Effects plus Photo Editor	1.7	Free
Color Text Messages+ for my sms,mms&iMessage free now	1.7	Free
Skype WiFi	1.4.1	Free

Search iTunes to add an app

Manually add an app

Adding an iOS Enterprise App

An enterprise (or in-house) app is one that has been created by an organization by using development tools available through the Apple Developer Enterprise Program (iDEP).

1. Select **Organization > Application Management > Managed Apps**.
2. Select **iOS** from the left panel, then click **Add Managed App**.
3. Choose **Enterprise App** as the mobile app **Type**.
4. Fill out the required fields of information, based on the location of the enterprise app.

Location of the Enterprise App	Manifest File Field	App File Field	Other Required Fields
Manifest and app files are on the <i>ZENworks Mobile Management</i> server	Select Upload File Upload the appropriate .plist file	Select Upload File Upload the appropriate .ipa file	Description
The manifest file is on the <i>ZENworks Mobile Management</i> server and the app file is contained within the manifest.	Select Upload File Upload the appropriate .plist file	Select Read from Manifest	Description, Icon File
Manifest and app files are hosted remotely	Select Provide URL Enter the Manifest URL	<i>Not Applicable</i>	App Name, Version, Description, Icon File

5. If an **Icon File** is required, browse your image files to select an icon to associate with the application.
6. If using a **Configuration File**, to configure a third party app, click the browse button and select your configuration file.
7. Select **Remove With MDM** if you want the app to be deleted from the device when the MDM configuration profile is removed.
8. Select **Prevent Backup** if you want a user to be able to save the app via iTunes.
9. Enter the **Download Limit** if you want to track downloads of a managed app purchased in bulk. Users can no longer download the app once the limit has been reached.

Download Limit and *Download Count* are shown in the *Managed Apps* grid and a compliance alert can be set for when availability or VPP licenses/redemption codes are low.

10. Click **Add iOS App** to add the app to the iOS Managed App list.

Updating iOS App Versions


Edit the original app and update the application information. If the app is set to *Force Push*, users are prompted to update the app on the device. If the app is not set to *Force Push* you can check the **Update this app for existing users** box to push the upgrade down. Users will be prompted to update the app.



Assigning iOS Apps to LDAP Groups/Folders or Local Groups

You can assign iOS managed apps to all members of an LDAP group/folder or local group.

1. From the *Managed Apps* data grid, select an app to assign to groups or use CTRL+click to select multiple apps.
2. Click the **Assign to Groups/Folders** button.




Name	Download Count	Download Limit	VPP	App File Name	App File Size (bytes)	iPad-Only
Skype for iPhone	0	<Unlimited>	No		44710848	No
World Clock-Time	0	<Unlimited>	No		20468523	No
UPS Mobile	0	<Unlimited>	No		9419422	No

- From the *Managed App* drop-down, select an app to assign or select **All** to assign all apps selected from the Managed Apps data grid.



- If you are assigning apps to an LDAP group/folder, select a server from the **LDAP Server** drop-down.
- In the table, select the **LDAP Groups**, **LDAP Folders**, or **Local Groups** tab.



- In the group list, locate the group to which you are assigning the app(s) and determine whether or not the app(s) will be required on user devices.
 - Check the **Recommend** box to make the app(s) available to users in this group.
Or check the *Recommend* box in the header to make the app(s) available to users in all groups.
 - Check the **Force** box to force push the app(s) to devices. Users will be required to install the app(s). Checking this box will automatically mark the *Recommend* box as well.
Or check the *Force* box in the header to force push the app(s) to devices of all groups.

You must make this selection for corporate device and personal device users separately.
- Click **Save Assignment** before you make assignments for another group.
Click **Save Assignment & Close** when you are finished.

Managing Volume Purchase Program Licenses

If you have uploaded an Apple VPP Token to the *ZENworks Mobile Management* server, all apps associated with the token populate the *Managed Apps* data grid and users with a qualifying device (running iOS 7.0.3 or higher) receive an invitation to join the Volume Purchase Program. See also [System Administration Guide: VPP Token Upload](#).

VPP apps can be differentiated from other apps on the *Managed Apps* grid by the available licenses listed for the app and by looking at the app's status (*Yes*) in the column labeled *VPP*. The apps can be assigned to an individual user through their *User Profile* or to groups of users via a Policy Suite, LDAP Group/Folder, or Local Group. While the user has the app, one license seat is occupied. (Users running iOS versions less than 7.0.3 will consume one redemption code when assigned a VPP app.)


When VPP app assignments are removed from the user device (and given it is the last iOS 7.0.3+ device associated with the user), they are also removed from the user's iTunes account and the VPP app license is reclaimed for reuse.

To View VPP License Counts:

1. Select the app and click **Manage Volume Purchase**.
2. Select the **View Licenses** tab.

The number of *Licenses Purchased* and *Licenses Available* are displayed. Users to which the licenses have been assigned are listed in the grid.

Note: Changes in the license count information will not show until the information has been processed and reported by the Apple server.



To Synchronize VPP Applications:

Each time a VPP token is added to the server or edited and each time you access the iOS section of the *Managed Apps* grid, the server automatically connects to the Apple server to retrieve the list of licenses associated with the VPP token to obtain the latest information.

You can also initiate this synchronization by clicking the **Sync VPP Apps** button.


Managed Apps for iOS devices

2 Apps

Name	Download Count	Download Limit	VPP	App File Name	App File Size (bytes)	iPad-Only	Link
Skype for iPhone	0	<Unlimited>	No		30491170	No	https://itunes.apple.com/us/ap
World Clock-Time	0	<Unlimited>	No		20468523	No	https://itunes.apple.com/us/ap

Sync VPP Apps

A message pops up on the screen while the retrieval is in progress:



Managing Volume Purchase Program Redemption Codes

For applications obtained through the Volume Purchase Program that carry redemption codes, add the redemption codes to the server. There will be one redemption code for every copy of the app purchased.

Apple's Volume Purchase Program is available in the United States and in nine countries outside the US. Redemption codes are different for each country, so you must add multiple sets of codes if you have purchased apps for users in more than one country.

When assigned a VPP app, users with devices running iOS versions less than 7.0.3 will consume one redemption code. Users running iOS 7.0.3 or higher will occupy a VPP app license.

To Add Redemption Codes:

1. Add the app to the iOS Managed App list.
2. Select the app, then click **Manage Volume Purchase**.
3. Select the **Add Redemption Codes** tab.
4. Select **Manual** or XLS (for XLS, proceed to step 6). If you are entering each code individually, choose **Manual**.

If you are entering each code individually, choose **Manual**.

Enter each code on a new line.

5. Click the **Add Redemption Codes** button.
6. Select **XLS** if you will enter multiple codes from a spreadsheet.
Browse to select the .xls file containing the redemption codes. The number of codes detected in the file displays.
There are volume purchase details at the top of the spreadsheet. Specify the column and row where the actual redemption codes begin.
7. Click the **Add Redemption Codes** button.



The screenshot shows a dialog box titled "Add Redemption Codes - Skype for iPhone". It has three tabs: "View Volume Purch...", "Add Redemption C...", and "View Licenses". The "Add Redemption C..." tab is active. Below the tabs, there are two radio buttons: "Manual" (which is selected) and "XLS". Below the radio buttons is a text input field labeled "Enter Redemption Codes: *". At the bottom right of the dialog is a button labeled "Add Redemption Codes".



The screenshot shows the same dialog box, but with the "XLS" radio button selected. Below the radio buttons, there is a "Redemption Codes File: * Browse..." button. Below that is a "Number of Codes detected:" label. Then there are two input fields: "Redemption Code Column#: * 1" and "Redemption Code Row#: * 11". Below these fields is a table with two columns: "Redemption Code" and "Status". The table has four empty rows. At the bottom right is a button labeled "Add Redemption Codes".

Redemption Code	Status

To View or Remove Redemption Codes:

1. Select an app from the iOS Managed App list, then click **Manage Volume Purchase**.
2. Select the **View Redemption Codes** tab.
3. Choose to view either the **Unused** or **Redeemed** codes.

You can remove unused redemption codes from the list if necessary. Select one or more codes and click the *Removed Selected* button or click *Remove All* to delete all unused codes from the list.



Adding Managed Apps for BlackBerry Devices

1. Select **Organization > Application Management > Managed Apps**.
2. Select **BlackBerry** from the left panel, then click **Add Managed App**.



App Name: *

Icon File: *
Recommended Max File Size: 100 KB

Link to App: *

Version: *


Description: *

Add Apps for BlackBerry

3. Enter a **Name**, **Version**, and **Description** for the app. What you enter displays on the device.
4. Browse your image files in the **Icon File** field to associate an icon with the application. This also displays on the device.
5. Provide the application store URL in the **Link to App** field.
6. Click the **Add App** button.

In the dashboard, there is an app list grid for each device type. Select the device type from the left panel to view the list to which the app was added.

You can select an individual app from a grid and click the **Edit Managed App** or **Remove Managed App** button to edit or delete an app.



Organization Management

Managed Apps > BlackBerry

Managed Apps for BlackBerry devices

1 Apps

Name	App File Name	App File Size (KB)	Link	Version
Adobe Connect Mobile		0	http://appworld.blackberry.com/con	1.7.5

Novell Filr

Novell Filr, a secure system for mobile file access and sharing, is integrated with *ZENworks Mobile Management* for Android devices or iOS devices running iOS 7.1 or higher and Novell Filr app version 1.0.4 or higher. *ZENworks Mobile Management* ensures that only tracked, managed, and authorized devices can access Novell Filr. The Filr app itself can be uploaded to devices via the *ZENworks Mobile Management Managed Apps*. The integration gives you the ability to create a configuration profile from the *ZENworks Mobile Management* dashboard that, when assigned to users, will configure the Novell Filr app on devices. The profile also allows you to limit the following functions for secure files:

- **Disable cut and copy** – Use this option to ensure that users do not circumvent Filr sharing limitations by cutting and copying file content.
- **Disable Screen Capture** – Use this option to ensure users do not circumvent Filr sharing limitations by taking screen shots of file content.
- **Disable Open-in** – Ensure that users do not open a secure file in a non-secure application.
- **Whitelist applications** – Limit users so that they can only open secure files in the applications you have whitelisted.

Assigning the Profile. Novell Filr profiles can be assigned to individual users (see [Adding Users Guide](#)) or to groups of users via LDAP groups/folders (see [Organization Configuration Guide](#)) or local groups (see [User Management Guide](#)), or as organization default settings (see [System Administration Guide](#)).

Note: Users of Android devices not using Google Cloud Messaging (GCM) service must synchronize the *ZENworks Mobile Management* application to pull down an assigned Novell Filr profile.

Configuration. The Novell Filr server and the *ZENworks Mobile Management* server must be configured so that user credentials are the same on each server.

To create a Novell Filr configuration

1. From the dashboard, select **Organization > Application Management > Novell Filr**.
2. Click **Add New Novell Filr**.

Add New Novell Filr Wizard

Welcome

Create a configuration profile that can be assigned to users in order to configure the Novell Filr app on user devices.

Novell Filr has been integrated for use with Android and iOS devices. For iOS, the Filr configuration will only deploy to devices running iOS 7.1 and higher and the Filr app 1.0.4 or higher.

Display Name: *

Choose how username(s) will be applied:

Username:

Choose how password(s) will be applied:

Password:

Note: iOS 7.1 and higher users associated with an ActiveSync or LDAP server will be required to enter user credentials when enrolling the Filr app.

Filr Server Address: *

Finish

3. Enter a **Display Name** for the profile.
4. Determine how usernames will be applied:
 - Prompt for username – Prompt the user to enter a username.
 - Enter generic username – Enter a generic username in the **Username** field.
 - Use ZMM username – Apply the username used for authentication with ZENworks Mobile Management.

Note: iOS 7.1 or higher users associated with an ActiveSync or LDAP server will be required to enter user credentials when enrolling the Filr app, regardless of what is chosen here.



5. Determine how user passwords will be applied:
 - Prompt for password – Prompt the user to enter a password.
 - Enter generic password – Enter a generic password in the **Password** field.
 - Use ZMM password – Apply the password used for authentication with *ZENworks Mobile Management*.

Note: iOS 7.1 or higher users associated with an ActiveSync or LDAP server will be required to enter user credentials when enrolling the Filr app, regardless of what is chosen here.

6. Enter the **Filr Server Address**. You might need to enter the address in the format, serveraddress:port

7. Set additional security options.

- **Allow Cut/Copy** – Leave this unchecked to ensure that users do not circumvent Filr sharing limitations by cutting and copying file content.
- **Allow Screen Capture** – Leave this unchecked to ensure users do not circumvent Filr sharing limitations by taking screen shots of file content. (*Applicable only for Android devices running OS 4.0.x or higher.*)
- **Allow File to open in** – Ensure that users do not open a secure file in a non-secure application by selecting **No apps**, or choose **Whitelisted apps** and designate the application in which they are permitted to open secure file.



8. Click **Finish**.

Whitelists/Blacklists

Blacklists enable the administrator to create a list of character strings that filter blacklisted applications on Android and iOS devices. When one or more blacklisted applications are installed on a device, the user's access to email, shared files, app lists, or other organization resources can be blocked. You will specify these restrictions using the Compliance Manager.

Whitelists enable the administrator to create a list of strings that filter applications on Android and iOS devices. When one or more applications are installed on a device that are not on the whitelist a user's access to email, shared files, app lists, or other organization resources can be blocked. You will specify these restrictions using the Compliance Manager.


So that they are informed about which apps should not be installed, users can view the blacklist and whitelist filters via the *ZENworks Mobile Management* app on their device or the Self-Administration portals.

Add Strings to the Blacklist/Whitelist

First, create the list of strings. Select **Organization > Application Management > Whitelists/Blacklists > Blacklists** or **Whitelists**.


Choose to add a filter string that will match against **App Names** or **App Identifiers**. *App Identifier* is the ID the application's developer has assigned to the app.

Choose *containing* or *exactly matching* from the drop-down list, then enter a string and click the **Add** button.



Add iOS Apps to the Blacklist/Whitelist via an iTunes Search

You can also select iOS apps for the list by searching and selecting from iTunes. Click the **Add by iTunes Search** button. Enter a string to search on and the region in which the app is available. Select *iPad Only* if you need to search exclusively for iPad applications, then click **Search**. Apps added in this way are matched against their *App Identifier*.



Activating a Blacklist or Whitelist


Blacklists or Whitelists will not affect users until the *Restricted App Permissions* and the Blacklist or Whitelist Compliance Restriction option have been enabled. In addition, the *Record application data usage* option is enabled automatically and must remain enabled in order to monitor application usage.

Enable the Whitelists/Blacklists Permissions. Once the list is created, enable the *Blacklist Permissions* in the policy suite(s). Select *Organization > Policy Management > Policy Suites > (expand a policy suite) > Whitelists/Blacklists Permissions*. Enable either the Blacklist or Whitelist permissions. You cannot enable the Blacklist and Whitelist simultaneously.


Note: When you enable either the blacklist or the whitelist permission, the **Record installed applications** option (under the policy suite category *Audit Tracking*) is automatically enabled. This option must remain enabled in order to monitor application usage.



Enable the Blacklist or Whitelist Restriction Compliance Option. Set the blacklist restrictions using the Compliance Manager. Select *Organization > Compliance Manager > Access Restrictions > Restriction Options*. Under *Access Restrictions*, enable the **Restrict when Blacklist App detected** option or the **Restrict when non-Whitelist App detected** and select the restrictions.



OR



Organization Control

Organization Control Options

Organization Control settings are located in the *Organization* view of the dashboard. They include options that give you the ability to create custom column fields for the user base, communicate information to users, manage the file share, and create local groups.

Custom Column Management

(see *Configuration Guides*)

- [Custom Columns](#)

Email and File Share Management Options


(documented in this guide)

- [File Share](#)
- [Group E-mailing](#)

Local Groups

(see *User Management Guide*)

- [Local Groups](#)



File Share

File Share enables the administrator to create a directory of folders and files to be made available to users with devices that have installed a *ZENworks Mobile Management* device app or a BlackBerry 4.5-7.1 device with the *GO!NotifySync* application.

The first step is to create folders and add files to them. Each folder can be enable or disabled via the policy suites.

Next, enable the permissions in the policy suite. The file directories are not available to users until you enable the **File Share Permissions** for each folder you add to the list.

The user can then access the files from the *ZENworks* application on the device.

- Android users select **File Share** from the *ZENworks* main screen.
- BlackBerry (with *GO!NotifySync*) users select **Files** from the *GO!NotifySync* pop-up menu.
- iOS device users select the **Files** icon from the *ZENworks* main screen.


Adding Folders and Files to the Directory

To manage the file directory, select **Organization**. From the drop-down menu, select **Organization Control > File Share**.

Adding Folders

The parent folder for the directory is named **File Share Folders** by default. You can add subfolders to this parent folder to categorize the files you add.

1. In the left panel, highlight the parent folder to which you are adding a subfolder.
2. Click the **Add Folder** button.
3. Enter a name for the new folder.
4. Click **Create Folder**.



You can edit a folder label by highlighting a folder and clicking the **Change Folder Name** button.




If you want, highlight the new folder and add a *description* or *notes* about the purpose or content of the folder.



Adding Files

1. In the left panel, highlight the folder to which you are adding files.
2. Click **Add Files to Folder**.
3. A window for browsing and selecting a file pops up. Select a file or files and click **Open**.
The *Upload Status* shows the number of files that added successfully.






The addition of folders and files results in a directory tree. The tree is duplicated in the **File Share Permissions**, where you can allow or disallow access folder by folder.

Enabling the File Share Permissions

Make sure that you have enabled the **File Share Permissions** in the policy suites. From the *ZENworks Mobile Management* dashboard, select **Organization > Policy Management > Policy Suites > (select policy suites) > File Share Permissions**.



Group E-mailing

Group E-mailing gives the administrator the ability to select groups of users by criteria in order to send them an email.

Administrators can also search sent group email to view the message body and the date, time, subject and who sent the email (administrator login associated with the email).

Send Group E-mail

Administrators can select a group of the organization's users to email by using one or any combination of the following criteria:

- Device Platform
- Liability
- Ownership
- Device Connection Schedule
- ActiveSync Server
- Policy Suite

The sender can also elect to copy the organization contact and the organization administrators.

1. To send a group email, select **Organization**. From the drop-down menu, select **Organization control > Group E-mailing**.
2. Select **Send Group E-mail** from the left panel.

The screenshot shows the 'Send Group E-mail' interface within the 'Organization Management' application. The left sidebar contains 'Send Group E-mail' and 'Search Group E-mails'. The main content area is titled 'Send Group E-mail' and includes a breadcrumb 'Group E-mailing > Send Group E-mail' and a back button '<< Back to Selection'. A note states: 'If no Recipient Criteria are specified, all users will receive the e-mail.' The 'Recipient Criteria' section includes dropdown menus for 'Device Platform', 'Liability', 'Ownership', 'ActiveSync Server' (set to 'Exchange2003'), and 'Device Connection Schedule'. Below this is a 'Policy Suite(s)' text area containing 'CAS' and two checked checkboxes: 'Include organization contact' and 'Include administrators'. The 'Subject' field contains 'Policy Changes'. The 'Message' field contains the text: 'Beginning August 1st, you will be required to change your password every 28 days. You will receive reminders 1 week prior to the password expiration dates.' At the bottom are 'Send' and 'Clear' buttons.

Search Group E-mail

The administrator can search the Group E-mail log by date, subject, or text in the message body. Results of the search are displayed in a list. Double-clicking on an email in the list reveals the message body and a list of users who failed to receive the email.

1. To search group email, select **Organization**. From the drop-down menu, select **Organization Control > Group E-mailing**.

2. Select **Search Group E-mails** from the left panel.

The screenshot displays the 'Organization Management' console. The left sidebar contains 'Send Group E-mail' and 'Search Group E-mails', with the latter selected. The main content area is titled 'Group E-mail Search' and includes a search interface with date filters, text input fields for subject and body, and 'Search' and 'Reset' buttons. A table displays 4 search results.

Time (GMT)	Subject	Sent By
07/19/2012 1:48 PM	Monthly Server Maintenan	admin@dc03.net
07/19/2012 1:47 PM	Monthly Server Maintenan	admin@dc03.net
07/19/2012 1:47 PM	Monthly Server Maintenan	admin@dc03.net
07/19/2012 1:42 PM	Policy Changes	admin@dc03.net

Double-click e-mails to see body and failed recipient(s)

Other Organization Administration Options

Several of the options in the dashboard's *Organization* view are not documented in this guide. Information on these topics can be found by clicking the link provided below.

Organization Configuration Guide

- [Policy Management](#)
- [Administrative Servers](#)

System Administration Guide

- [OpenID Provider](#)

Compliance Manager Guide

- [Compliance Manager](#)

Reporting

The *Reporting* view provides statistical reports regarding devices, data usage, compliance rules, and administrator roles.

The reports are as follows:

Device Reports	Compliance Reports
<ul style="list-style-type: none"> Data Usage by DeviceSAKey 	<ul style="list-style-type: none"> Access Restriction Violations
<ul style="list-style-type: none"> Devices by Liability 	<ul style="list-style-type: none"> Device Platform Restrictions by User
<ul style="list-style-type: none"> Devices by Network Type 	<ul style="list-style-type: none"> Exceptions by User
<ul style="list-style-type: none"> Device by OS Version and Model 	<ul style="list-style-type: none"> Resource Restrictions by User
<ul style="list-style-type: none"> Device by OS Version and Platform 	<ul style="list-style-type: none"> User by Exceptions
<ul style="list-style-type: none"> Devices by Platform 	Administrative Roles Reports
<ul style="list-style-type: none"> Devices by Platform and Model 	<ul style="list-style-type: none"> Organization Administrators
<ul style="list-style-type: none"> Devices by Policy Suite 	<ul style="list-style-type: none"> Organization Roles
User Reports	<ul style="list-style-type: none"> System Administrators
<ul style="list-style-type: none"> Data Usage by User 	<ul style="list-style-type: none"> System Roles
<ul style="list-style-type: none"> Users by Carrier 	App Reports
<ul style="list-style-type: none"> Users by Ownership 	<ul style="list-style-type: none"> App Assignment
<ul style="list-style-type: none"> Users by Expiration Date 	<ul style="list-style-type: none"> App Statistics
iOS Resource Reports	<ul style="list-style-type: none"> App Assigned to Users
<ul style="list-style-type: none"> Resource by Assignment 	
<ul style="list-style-type: none"> Resource By Expiration Date 	

Using the Reports

Sort Report Columns. Most reports are initially sorted by user email address (or administrator/role) within each category mentioned in the report title. You can, however, click other column headings to change the order of the users within each main category.

By clicking multiple column headings you can create a nested sort. For example: Device Platform (the main category), sorted by Carrier Name (first sorting category), sorted by Phone Number (second sorting category).

Reports > Device Reports > Devices by Platform

Devices by Platform

Name	Email Address	Domain	Phone Number	Device Model	Carrier Name	Ownership	Liability
▼ Android							
ajones			+4083132503	DROID3	Amena	Company	Corporate
BlackBerry							
htcsupersonic							
▼ iOS							
jwitmer		ex07	Unknown	iPad 3	None	Company	Corporate
vhunt			4083901331	iPhone 4S	Amena	Company	Corporate
gslick			14085284666	iPhone 3GS	None	Company	Corporate
► Unknown Device							
Windows Mobile							

Rearrange Report Columns. The columns can be rearranged by clicking and dragging a column heading to a new position. Column width can be adjusted by clicking and dragging a column's left dividing line at the header position.

Reports > Device Reports > Devices by Platform

Devices by Platform

Name	Email Address	Domain	Phone Number	Device Model	Carrier Name	Ownership	Liability	Liability
▼ Android								
ajones			+4083132503	DROID3	Amena	Company	Corporate	Corporate
BlackBerry								
htcsupersonic								
▼ iOS								
jwitmer		ex07	Unknown	iPad 3	None	Company	Corporate	Corporate
vhunt			4083901331	iPhone 4S	Amena	Company	Corporate	Corporate
gslick			14085284666	iPhone 3GS	None	Company	Corporate	Corporate
► Unknown Device								
Windows Mobile								

Export Report Data. Export data from the report to a comma separated values (CSV) or Excel (XLS) file. Choose the **Export Format**, then click the **Export Report** button to save the current report to a file.



Sample Reports

Sample Device/User Reports

Information included in most **Device** and **User** reports:

- User Name
- Email Address
- Domain
- Phone Number
- Device Platform
- Device Model
- Carrier Name
- Ownership
- Liability
- OS Version
- AS Version
- Policy Suite
- Device Connection Schedule
- Activation Date

Reports > Device Reports > Devices by Network Type

Devices by Network Type

Name	Email Address	Domain	Phone Number	Device Platform	Device Model	Carrier Name	Ownership
▼ AT&T							
jwitmer		ex07	Unknown	iOS	iPad 3	None	Company
ntanner			14085284666	iOS	iPhone 3GS	None	Company
▼ Sprint							
dmatthews			4083901331	iOS	iPhone 4S	Amena	Company
▶ Unknown							
▶ Verizon Wireless							

Data Usage by DeviceSAKey

DeviceSAKey:

Results for 72

Time Period	ActiveSync Data Traffic (KB)	Device App Data Traffic (KB)
▼ Last 5 Minutes	0.000	0.000
▼ Last 10 Minutes	0.000	0.000
▼ Last 30 Minutes	0.000	0.000
▼ Last 1 Hour	0.000	0.000
▼ Last 2 Hours	0.000	0.000
▼ Last 4 Hours	0.000	0.000
▼ Last 8 Hours	0.000	63.079
▼ Last 1 Day	0.000	63.079
▼ Last 2 Days	0.000	63.079
▼ Last 4 Days	0.000	63.079

Data Display: KB MB GB

Sample iOS Resource Report

Information included in **iOS Resource** reports:

- Resource Name
- User Name
- Domain
- Expiration Dates

Resource by Assignment						
Resource Name	Username	Domain	Assignment Expiration Date	User Expiration Date	Resource Expiration Date	Resource
▼ CalDAV						
▼ Zimbra - Date					11/20/2012 (UTC)	
	jwtmer	ex10				
▼ Zimbra - Interval						1
	jwtmer	ex10				
	jwtmer	ex10	11/15/2012 (UTC)			
▼ Email						
▼ EX03 - IN - Date					11/15/2012 (UTC)	
	jwtmer	ex10	11/15/2012 (UTC)			
▼ EX03 - IN - Interval						1
	jwtmer	ex10	11/15/2012 (UTC)			
▼ EX03 - OUT						
	jwtmer	ex10	11/15/2012 (UTC)			
▼ Exchange						
▼ Exchange 2007 - Date					11/15/2012 (UTC)	
	jwtmer	ex10	11/15/2012 (UTC)			
▼ Exchange 2007 - Interv						1
	jwtmer	ex10	11/15/2012 (UTC)			
▼ LDAP						
▼ Exchange 2010 - Date					11/15/2012 (UTC)	

Sample Compliance Report

Information included in **Compliance** reports:

- User Name
- Device (platform)
- Domain
- Policy Suite

Access Restriction Violations			
User Name / Access Restriction Violation	Device	Domain	
▼ acostello		ex07	acostello
No violations			
▼ acostello2		ex07	acostello
No violations			
▼ acrown	iOS	ex07	tim
ActiveSync connection violation			
Liability violation			
▼ acrown	iOS	ex07	tim
Liability violation			
▼ jwtmer	iOS	ex07	Robin
ActiveSync connection violation			
▼ pvaidya1	MotoDROIDBIONICS	ex07	tim
No violations			

Sample Administrative Roles Report

Information included in **Administrative Roles** reports:

- Administrator Name
- Administrative Role Name
- Permissions

Organization Roles	
Name	Permission
ActiveSync Servers	Full Access
Administrative LDAP Servers	Full Access
Custom Columns	Full Access
Device Connection Schedules	Full Access
Policy Suites	Full Access
User and Device Reporting	Read Only Access
System Management	Full Access
▼ Support Admin	
Activity Monitor and Alerts	Read Only Access
▼ Smart Devices and Users	
Add User	Full Access
▼ Administration	
Clear Device Enrollment	Full Access
Clear Passcode	Full Access
Disable Device	Full Access
Full Wipe	Full Access
Lock Device	Full Access
Selective Wipe	Full Access
Send Welcome Letter	Full Access
Show Recovery Password	None
Wipe Storage Card	Full Access
▼ Device Compliance	
Clear ActiveSync Authorization Failures	Full Access
Clear SIM Card Removed Or Changed Violation	Full Access
Clear ZENworks Mobile Management Authorization Failures	Full Access

Export Format ▼ Export Report

Sample App Reports

Information included in the **App Assignment** report:

- Name
- Email Address
- Domain
- Phone Number
- Device Model
- Carrier Name
- Ownership
- Liability
- OS Version
- AS Version
- Policy Suite
- Device Connection Schedule
- Activation Date

App Assignment							
Name	Email Address	Domain	Phone Number	Device Model	Carrier Name	Ownership	Liability
▼ Android							
▼ AIM							
None							
▼ Info Week							
None							
▼ TouchDown							
None							
▼ iOS							
▼ Doc Scan - Scanner to Scan PDF							
None							
▼ Skype for iPhone							
None							
▼ World Clock-Time Zones							
acrown		ex07	+13303984898	iPhone 4S		Personal	Individual

Information included in the **App Statistics** report:

- Name
- Download Count
- Download Limit
- Version
- VPP
- Bundle ID
- App Store ID
- Package Name
- Available Redemption Codes
- Available Licenses

App Statistics						
Name	Download Count	Download Limit	Version	VPP	Bundle ID	
▼ Android						
AIM	0	<Unlimited>	5.2	N/A		0
Info Week	0	<Unlimited>	7.8.1	N/A		0
TouchDown	0	<Unlimited>	8.1.00012	N/A		0
▼ iOS						
Doc Scan - Scanner to Scan PDF, Pri	0	<Unlimited>	8.4	No	com.ifunplay.DocScan	453
Skype for iPhone	0	<Unlimited>	4.17.3	No	com.skype.skype	3048
UPS Mobile	0	<Unlimited>	2.4.1	No	com.ups.m.iphone	3363
World Clock-Time Zones	0	<Unlimited>	1.6.5	No	com.timeanddate.worldclock	4036

Information included in the **App Assigned to Users** report:

- Name
- Version
- Status
- Required
- Rejection Reason
- Last Attempted Install

Name	Version	Status	Required	Rejection Reason	Last Attempted Install
▼ acrown					
▼ iOS					
World Clock-Time Zones	1.6.5	Not installed via MDM	No		